

VENEZIA

The parasol with a dual personality

When open, it transforms the space below into a location dedicated to luxury and elegance and thanks to its retractable system, when not in use, it quickly removes the disturbance, retreating to the edge of the stalls and thus leaving it free of clutter.

- Coverage of small and medium sized spaces and stalls up to **25** square meters
- Opening system with endless screw
- Structural robustness at the top of the category

USAGE OCCASIONS



POOLS AND BEACH RESORTS



HOTEL & RESORT



SKI & MOUNTAINS



RESTAURANTS & FAST FOOD



BAR & ICECREAM SHOPS



GARDENS & TERRACES

FEATURES



Possibility of adjusting the angle of the parasol with respect to the base using a grub screw



Crank opening with endless screw



MODULAR CANOPY

With interchangeable modular canvases in segments for easy replacement of even a single segment.




High tenacity aluminum alloy


frame painted with epoxy powder in the standard color White or Manganese



THREADED CANVAS TECHNOLOGY with special aluminum alloy profile with nose cones



Nylon - stainless steel - painted aluminum rib holder collars



Nylon arm-rib joints for greater strength and durability



35cm perimeter **volant** available



Stainless steel bolts and nuts



Central pole in galvanized and painted square steel 100x100x3 mm



Premium **PVC** storage case




Curved profiles in **aluminum 6005** 30x15x2 Mm



Also available **tailor-made**

HEIGHT OPTIONS



FRAME COLOR

TYPE OF FABRIC



SUN

NAUTICAL HP

-ACR-

-RES-



-BI- -MA-

SQUARED

			A	A1	B	C	D	E	F	G
300	8 Ribs	9 Sqm	303	293	225	190	65	321	320	8
300	VE300X300									
350	8 Ribs	12,25 Sqm	332	322	227	192	58	340	320	8
350	VE350X350									
400	8 Ribs	16 Sqm	340	330	226	190	50	370	320	8
400	VE400X400									
450	8 Ribs	20,25 Sqm	351	341	235	200	45	395	320	8
450	VE450X450									



RECTANGULAR

			A	A1	B	C	D	E	F	G
350	8 Ribs	8,75 Sqm	315	305	227	192	55	320	320	8
250	VE350X250									
350	8 Ribs	10,5 Sqm	330	320	227	192	71	330	320	8
300	VE350X300									
400	8 Ribs	12 Sqm	320	310	211	176	35	320	320	8
300	VE400X300									
400	8 Ribs	14 Sqm	345	335	227	192	50	345	320	8
350	VE400X350									
450	8 Ribs	15,75 Sqm	333	323	230	195	30	350	320	8
350	VE450X350									
450	8 Ribs	18 Sqm	341	331	215	180	28	367	320	8
400	VE450X400									
500	8 Ribs	15 Sqm	345	335	233	198	14	340	340	8
300	VE500X300									
500	8 Ribs	20 Sqm	361	351	245	210	32	388	340	8
400	VE500X400									

-BI- -MA-

SUN

NAUTICAL HP

-ACR-

-RES-



OPTIONAL SU RICHIESTA



Frame RAL color -CO-



CUSTOM SIZES

Custom sizes for square/ rectangular parasols

-CONUMA



PVC FABRIC

up to 600 gr/Sqm

SAME PRICE AS NAUTICAL HP FABRIC

-PVC-



CUSTOM SHAPES

Parasols with irregular shapes

-CONUMAC-



Fabric colors not in the collection -SUPTESS-



INCREASED HEIGHTS

Parasol heights exceeding standard

-SUPALT-



Premium PVC Storage Case -FODPVC4-




INTERNAL CRANK

Possibility to move the opening crank handle to the inside of the parasol

-MAINT-



I VOLANT



CLASSIC VOLANT VARIANTS


TRANSFER LETTERING ON VOLANT



MONOCHROME HEAT-SEALED
EXCLUDING GRAPHICS

	200 Cm	100 Cm
	25 Cm	25 Cm
	-SCLOGO200-	-SCLOGO100-


TRANSFERT LETTERING ON SEGMENT



MONOCHROME HEAT-SEALED
ON SEGMENT
(inevitable slight fabric wrinkles),
EXCLUDING GRAPHICS

	80 Cm
	80 Cm
	-SCLOGO8080-

COMPLEX AND/OR COLORED WRITINGS/LOGOS



GUTTER PREPARATION

With female Velcro hidden by fabric flap **OUTSIDE THE VOLANT.**

-APVELG-



SIDE WALLS PREPARATION


With female Velcro hidden by fabric flap **INSIDE THE VOLANT.**

-APVELP-



UNION GUTTER APPLIED WITH REMOVABLE ZIPPER AND VELCRO

Made of PVC, with slope, and applied externally to the skirts. Version with buckles available upon request for umbrellas not predisposed.




-GRO-



CENTRAL INTERSECTION CONE FOR 4 PARASOLS

Applied with bracket on a corner rib.



-CONO-


| WINTER EQUIPMENT

SIDE WALLS



see pag. 196

HEATERS



see pag. 200

PREPARATION FOR HEATER'S CABLE PASSAGE



- PASCAV -

SUPPORT BASES

The base recommended in our price list takes into account the square meters of the parasol and a theoretical overturning coefficient of approximately 50 km/h with constant wind. Such recommendation does not constitute any guarantee by the manufacturer, as it is inde-

ed difficult to measure whether there are gusts in a specific location. Therefore, **it is always recommended to close the parasol in case of bad weather.** In particularly windy areas, we always advise securing the parasol to the ground.

BASE + PLATES CONFIGURATIONS



BASE
84X84 CM

20 PLATES
40x40 Cm



BASE
104X104 CM

20 PLATES
50x50 Cm

ARTICULATED SUPPORT BASE


Galvanized and painted steel

Articulated joint for easy installation and removal



Adjustable leveling feet.
Up to +10 cm in height.

UP TO 16 SQM



CODE
-BAP838320-


23
Cm

+ 31
Cm

35
Kg

89x85
x26 Cm

OVER 16 SQM



CODE
-BAP10310320-

23
Cm

+ 31
Cm

45
Kg

109x105
x26 Cm

COLOR



ACCESSORIES FOR SUPPORT BASE

WASHED STONE PLATES



SET OF 20 PLATES

40x40 Cm	4 Cm	300 Kg	120x80 x33Cm

CODE -LAS20X40-

FOR BASE 84X84 CM

SET OF 20 PLATES

50x50 Cm	4 Cm	420 Kg	120x100 x33Cm

CODE -LAS20X50-


FOR BASE 104X104 CM

LOW FURNITURE - BASE COVER SEAT



- White
-BI-
- Manganese
-MA-
- Ral Selection
-CO-


FOR BASE 84X84



38 cm	21 kg	89x85 x40 Cm

CODE -CAR85-

FOR BASE 104X104



38 cm	28 kg	109x105 x40 Cm

CODE -CAR105-

In powder-coated aluminum with rounded edges

PALLET TRUCK

Base prepared for movement with a pallet truck. (Pallet truck not included)



		CODE -SUPTRANS-
+ 23+10 Cm	+ 5 Kg	

A

Preparation of bases for moving parasols up to 25sqm with wheels.



		CODE -WHEELS2-
+23+13 Cm	4 Kg	




SUPPORT BASES

The base recommended in our price list takes into account the square meters of the parasol and a theoretical overturning coefficient of approximately 50 km/h with constant wind. Such recommendation does not constitute any guarantee by the manufacturer, as it is inde-

ed difficult to measure whether there are gusts in a specific location. Therefore, **it is always recommended to close the parasol in case of bad weather.** In particularly windy areas, we always advise securing the parasol to the ground.

FIXED SUPPORT BASE




-  White
-BI-
-  Manganese
-MA-
-  Ral Selection
-CO-

UP TO 8,75 SQM

In galvanized and painted steel, prepared to accommodate 20 stone PLATES.


111x53
cm


20
cm



22
kg








120x80
x45 Cm

CODE -BAP1115320-


LOW FURNITURE - BASE COVER SEAT



-  White
-BI-
-  Manganese
-MA-
-  Ral Selection
-CO-


113x55
Cm

In galvanized and painted steel with rounded edges


45
cm



25
kg


120x80
x45 Cm

CODE -CAR11345-

SET OF 10 PLATES




50x50
Cm

In washed stone


4
cm


210
kg


120x80
x35 Cm

CODE -LAS10X50-




FIXING BASES

THE USE OF ANCHOR BLOCKS presupposes a careful evaluation of the conditions of the surface to be drilled. We strongly recommend carrying out core drilling beforehand to check the presence and thickness of uncracked concrete.

We do not recommend fixing with anchors on other types of surfaces such as asphalt, pavé, on terraces, garage floors, etc. even if helped by the chemist. Check the absence of electrical cable pipes or insulating sheaths in the ground before drilling.

JOINTED BASE FOR STANDARD FIXING

-  White
-BI-
-  Manganese
-MA-
-  Ral Selection
-CO-



In galvanized and painted steel. Plugs from 10 to 12 mm of variable length (not supplied).

22
cm

+7
cm



8
kg

33x27
x40 Cm

CODE -BFP25308-

COVER CASE FOR ARTICULATED BASE

-  White
-BI-
-  Manganese
-MA-
-  Ral Selection
-CO-



For standard fixing base. Necessary if you purchase bottom-powered LEDs.

6
cm


3
kg

33x22
x10 Cm

CODE -CAR40-



3-COMPONENT BURIED SET



In painted steel.
Base for core drilling



+ 2
cm



12
kg



33x30
x42 Cm

CODE -BACRT3-

SET OF 6 LONG BOLTS

THE USE OF ANCHOR BOLTS embedded in non-cracked concrete casting is always the optimal solution. It is recommended to create a plinth proportionate to the size of the parasol.



To be embedded in a non-cracked concrete casting of variable dimensions depending on the size of the parasol and the installation site for an articulated base for fixing to the floor



12
mm



45
cm



5
kg



30x50
x5 Cm

CODE -TIRM6-

PAIR OF BRACKETS FOR WALL FIXING



White
-BI-



Manganese
-MA-



Ral Selection
-CO-



In painted stainless steel.
Price includes positioning of the opening crank on the **internal side** of the pole



27,5x5
cm



12
cm




1,5
kg



35x20
x10 Cm

CODE -BSTAF-

- Crank height: 26 cm
- Crank depth: 16 cm 52cm
- Crank size with 360° rotation: 52 cm





The LEDs we use are Made In Italy and compliant with the Ecodesign 2021 directives



/ 100 cm LED bars in anodized aluminum



/ IP/67 Waterproof 24V power supply



/ Warm light selected 2700 K
On request: cold light or RGB light kit (color change - 24 V)



/ IP65 Waterproof 24 V 14 W/Mt



/ Wi-Fi receiver with remote control, batteries, and dimmer (light intensity adjustment)




/ Connector socket and plug 3p
Screw D5-12 IP66/IP68

*The length of the LED bars may be shorter for certain parasol sizes.

MADE IN ITALY

/ POSITIONING




/ TOWARDS THE CANOPY

Recommended for a greater scenic effect on light-colored fabric.

STANDARD

- LEDUP -




/ DOWNWARD

Recommended for greater illumination on the floor area.

STANDARD

- LEDDOWN -




/ TOWARDS THE CANOPY + DOWNWARD

Independent lighting/intensity adjustment for above and below.

NOT -STANDARD

- LEDMIX -

4 BARS




POWER SUPPLY
(180x110x30 Mm)
Qty: 1, 60 Watt

CONSUMPTION
2.4 A

POWER
57.6 W

- VLD4X10060 -

8 BARS



POWER SUPPLY
(270x70x40 Mm)
Qty: 1, 150 Watt IP/67

CONSUMPTION
4.8 A

POWER
115.2 W

- VLD8X10060 -

LAMPADA LED



POWER SUPPLY
(140x30x20 Mm)
Qty: 1, 18 Watt IP/67

CONSUMPTION
0.7 A

POWER
16 W


- LALED -

In anodized aluminum integrated into the central collar of the



RGB LED ADD-ON INFORMATION AND TECHNICAL DATA SHEET AVAILABLE UPON REQUEST

/ POWER SUPPLY



A - FROM THE TOP



If the cable is coming from a wall of the room, the parasol can be opened and closed without unplugging the power plug.

-ALCAP-

B - FROM THE RIB



Power supply from one of the slats of the parasol (it is necessary to indicate which slat the power cable will come from).

-ALSTE-

ATTENTION! To close the parasol it will be necessary to unhook the power plug.

C - POLE ABOVE




In case of cable coming from a room wall. The parasol can be opened and closed without unhooking the power plug.

-ALSUPALL-

D - POLE ABOVE BASE



Aesthetically better solution as long as there is space to carry out the wiring underneath the flooring (e.g. floating floors, platforms or wells). The parasol can be opened and closed without unplugging the power plug.



-ALPALD-

/ BATTERY-POWERED LED LIGHTING SYSTEM



4X LED BARS

1X CONNECTOR CABLE

1X BATTERY

1X BATTERY CHARGER

1X REMOTRE CONTROL



KIT LED



The LEDs we use are **MADE IN ITALY** and comply with the 2021 Ecodesign directives.

It's a complete and practical lighting system that can be easily installed on the parasol pole using two Velcros and can be removed at any time. It has a maximum duration of over 8 hours.



1x
Battery



Protection:
IP51



Warm White
2700k



Power supply
18 V



Led power
15 Watt

BATTERY-POWERED LED KIT 75CM



-LEDBAT750-

— LEGEND —


L = parasol side
 1/2 L = half parasol side
 D = Distance from walls/other elements
 ⚠ MINIMUM 8 CM ⚠

I -X- BASE DIMENSIONS BEYOND THE PARASOL SIDE

SUPPORT BASE 84X84X23	55 CM
SUPPORT BASE 104X104X23	65 CM
SUPPORT BASE 115X53X18	18 CM / 61 CM
JOINTED BASE 25X30X1	23 CM



*Consider the size of the crank if it is positioned outside the parasol



— PACKAGING —

PARASOL OPEN SIZE (Cm)	N° RIBS	WEIGHT (Kg)	PACKAGE DIMENSIONS	
SQUARED				
300x300	8	64	Cm 350x50x50	Kg 11,5
350x350	8	61	Cm 350x50x50	Kg 11,5
400x400	8	70	Cm 400x50x50	Kg 13
450x450	8	88	Cm 400x50x50	Kg 13
500x500	8	89	Cm 430x50x50	Kg 13
RECTANGULAR				
350x250	8	64	Cm 350x50x50	Kg 11,5
350x300	8	68	Cm 350x50x50	Kg 11,5
400x300	8	61	Cm 350x50x50	Kg 11,5
400x350	8	69	Cm 350x50x50	Kg 11,5
450x350	8	70	Cm 350x50x50	Kg 11,5
450x400	8	71	Cm 400x50x50	Kg 13
500x300	8	75	Cm 350x50x50	Kg 11,5
500x400	8	81	Cm 400x50x50	Kg 13
500x450	8	86	Cm 400x50x50	Kg 13


**Weights are indicative and exclude base and packaging.
Packaging weights and dimensions may vary without notice.**

High-quality reinforced cardboard boxes with 2/3 layers.




ALTERNATIVE POSITIONING OPTIONS FOR PARASOL SUPPORT POLE

STANDARD CONFIGURATION



/ SUPPORT POLE ON LONG SIDE

**OPTIONAL SHORT SIDE CONFIGURATION AVAILABLE UPON REQUEST (UP TO 400 CM)
CODE -CPLC- NO ADDITIONAL PRICE**



/ SUPPORT POLE ON SHORT SIDE